


ORDER WILL NOT BE RELEASED FOR FABRICATION UNTIL SIGNED COPY IS RECEIVED.

VERIFICATION AND APPROVAL OF GENERAL ARRANGEMENT AND OVERALL DIMENSIONS FOR THIS DOCUMENT ARE REQUIRED BEFORE THE ORDER IS ENTERED FOR MANUFACTURING.



APPROVAL SIGNATURE _____

TITLE HELD _____

DATE OF APPROVAL _____



ISOMETRIC VIEW



SECTION A-A

NOTES:

- SIZE: 3'-0" X 2'-6"
- 1. CURB MATERIALS
 - a. 14 GA GALVANIZED CURB
- 2. CURB CAP MATERIALS
 - b. 14 GA GALVANIZED CURB CAP
- 3. CURB LINER MATERIALS
 - c. 22 GA GALVANIZED CURB LINER
- 4. CURB INSULATION THICKNESS AND MATERIALS
 - d. 2" POLYISOCYANURATE CURB INSULATION
- 5. COVER MATERIALS
 - e. 14 GA GALVANIZED COVER
- 6. COVER LINER MATERIALS
 - f. 22 GA GALVANIZED COVER LINER
- 7. COVER INSULATION THICKNESS AND MATERIALS
 - g. 2" POLYISOCYANURATE COVER INSULATION
- 8. COVER RATED FOR 70PSF LIVE LOAD
- 9. COVER AND CURB ARE PAINTED WHITE
- 10. ZINC PLATED HARDWARE

DRAWN	5/23/2019	DURAVENT GROUP	
BC		Fax: 855-549-2674 www.duraventgroup.com	
CHECKED	MILCOR	44th St SE Suite F Grand Rapids, MI. 49512 Ph: 800-624-8642	
CD		TITLE	
QA		M-1 EE 36X30 SINGLE LEAF ROOF HATCH	
MFG	TOLERANCE UNLESS SPECIFIED	SIZE	DWG NO
	.XXX ± 0.005"	D	3501-501-9EE
APPROVED	.XX ± 0.01"	SCALE	REV
	FRACT. ± 1/16"		A
	ANGLES ± 1'	SHEET 1 OF 1	