


8 7 6 5 4 3 2 1




ORDER WILL NOT BE RELEASED FOR FABRICATION UNTIL SIGNED COPY IS RECEIVED.

VERIFICATION AND APPROVAL OF GENERAL ARRANGEMENT AND OVERALL DIMENSIONS FOR THIS DOCUMENT ARE REQUIRED BEFORE THE ORDER IS ENTERED FOR MANUFACTURING.



APPROVAL SIGNATURE _____

TITLE HELD _____

DATE OF APPROVAL _____



ISOMETRIC VIEW



SECTION A-A

- NOTES:
- SIZE: 2'-6" X 4'-6"
- CURB MATERIALS
 - 0.090 ALUMINUM CURB
 - 0.090 ALUMINUM CURB CAP
 - CURB LINER MATERIALS
 - 0.063 ALUMINUM CURB LINER
 - CURB INSULATION THICKNESS AND MATERIALS
 - 2" POLYISOCYANURATE CURB INSULATION
 - COVER MATERIALS
 - 0.090 ALUMINUM COVER
 - COVER LINER MATERIALS
 - 0.063 ALUMINUM COVER LINER
 - COVER INSULATION THICKNESS AND MATERIALS
 - 2" POLYISOCYANURATE COVER INSULATION
 - COVER RATED FOR 70PSF LIVE LOAD
 - COVER AND CURB ARE MILL FINISHED
 - ZINC PLATED HARDWARE

DRAWN CDEWILDT	5/17/2019	HART & COOLEY INC. 5030 Corporate Exchange Blvd. SE Grand Rapids, MI. 49512 Ph: 800-624-8642	
CHECKED	MILCOR	TITLE	
QA	TOLERANCE UNLESS SPECIFIED	RD-2 EE 30X54 SINGLE LEAF ROOF HATCH	
MFG	.XXX ± 0.005"	SIZE	DWG NO
APPROVED	.XX ± 0.01"	D	3501-135-9EE
	FRACT. ± 1/16"	SCALE	REV
	ANGLES ± 1'		A
		SHEET 1 OF 1	

8 7 6 5 4 3 2 1